



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5663738
Dated/दिनांक : 05-12-2024

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|---|---|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 26-12-2024 14:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 26-12-2024 14:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 180 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Water Resources River Development And Ganga Rejuvenation |
| Department Name/विभाग का नाम | Na |
| Organisation Name/संगठन का नाम | North Eastern Regional Institute Of Water And Land Management (neriwalm) |
| Office Name/कार्यालय का नाम | Director |
| Total Quantity/कुल मात्रा | 42011 |
| Item Category/मद केटेगरी | Potassium chloride , Sodium Hexametaphosphate , Sodium hydroxide , Boric acid , Methyl red , Bromocresol green , Potassium dichromate , Diphenylamine indicator , Sulphuric acid , Sodium fluoride , Magnesium oxide , Salicylic acid , Sodium thiosulphate , Potassium sulphate , Copper sulphate , Selenium powder , Nitric acid ER , Ammonium Molybdate , Antimony potassium Tartarate , Ascorbic acid , Potassium dihydrogen orthophosphate , Stannous Chloride , Barium Chloride dihydrate , Ethanol , Glycerol , magnesium Chloride hexahydrate , Gum acacia , Potassium nitrate , Magnesium sulphate Heptahydrate , EDTA disodium salt , Ammonium Chloride , Erichrome Black T , DTPA , Azomethine -H , Activated Charcoal Powder , Curcumin , Oxalic Acid , Silver Chloride , TISAB III , Murexide Ammonium Purpurate , Sodium Acetate , Sodium Sulphate , Barium Chloride , Potassium Chromate , Silver Nitrate , Aluminium Potassium sulphate , Lead Standard Solution , Cadmium Standard Solution , Zinc Standard Solution , Iron Standard Solution , Manganese Standard Solution , Sulphate Standard Solution , Boron Standard Solution , Copper Standard Solution , Nickel Standard Solution |

Bid Details/बिड विवरण**GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS**

Potassium chloride (Emsure R), Sodium Hexametaphosphate(SQ), Sodium hydroxide(SQ), Boric acid(ER), Methyl red , Bromocresol green, Potassium dichromate(ER), Diphenylamine indicator(ER), Sulphuric acid (ER), Sodium fluoride (ER), Magnesium oxide, Salicyclic acid (SQ), Sodium thiosulphate(ER), Potassium sulphate(SQ), Copper sulphate(AR), Selenium powder(AR), Nitric acid (ER), Ammonium Molybdate(SQ), Antimony potassium Tartarate, Ascorbic acid(SQ) , Potassium dihydrogen orthophosphate(A.R), Stannous Chloride(ER), Barium Chloride dihydrate(SQ), Ethanol, Glycerol(SQ), magnesium Chloride hexahydrate(ER), Gum acacia(SQ), Potassium nitrate(ER), Magnesium sulphate Heptahydrate(ER), EDTA (disodium salt)(ER), Ammonium Chloride , Erichrome Black T, DTPA(ER), Azomethine H, Activated Charcoal Powder (SQ), Curcumin, Oxalic Acid(ER), Silver Chloride , TISAB III, Murexide (Ammonium Purpurate) (SQ), Sodium Acetate(ER), Sodium Sulphate (ER), Barium Chloride (ER), Potassium Chromate(ER), Silver Nitrate(ER), Aluminium Potassium sulphate(SQ), Lead Standard Solution (1000 ppm), Cadmium Standard Solution (1000 ppm), Zinc Standard Solution (1000 ppm), Iron Standard Solution (1000 ppm), Manganese Standard Solution (1000 ppm), Sulphate Standard Solution (1000 ppm), Boron Standard Solution (1000 ppm), Copper Standard Solution (1000 ppm), Nickel Standard Solution (1000 ppm)

Searched String: Potassium chloride (Emsure R)

Potassium Chloride Injection, Potassium Chloride, Technical - IS 4150, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Polyethylene Glycol + Potassium Chloride + Sodium Bicarbonate + Sodium Chloride, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Polyethylene Glycol + Potassium Chloride + Sodium Bicarbonate + Sodium Chloride Powder for Oral Solution (V2), D and C Set, HF RFID Integrated Reader

Searched String: Sodium Hexametaphosphate(SQ)

Sodium Hexametaphosphate (ONGC), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Glassy Sodium Metaphosphate or Sodium HexaMetaphosphate, SODIUM ACETATE, Blood Sample Collection Tubes, Sodium Hydrosulfite, SODIUM COBALTINITRITE, Flame Photometer, Sodium Arsenite, Inflatable Tent

Searched String: Sodium hydroxide(SQ)

Barium Hydroxide, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Calcium Hydroxide, Lithium Hydroxide Monohydrate (IOCL), Blood Sample Collection Tubes, Aluminium Hydroxide as per IS:10896, D and C Set, Potassium Hydroxide for Drilling Fluids (ONGC), Flame Photometer, SODIUM ACETATE

Searched String: Boric acid(ER)

Borax Powder, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, GTAW wire ER 347 - BHEL, Veratric Acid (3,4-Dimethoxybenzoic Acid), Stationary Valve

| Bid Details/IS - Part 1 | Regulated Lead Acid Batteries (V2) as per IS 15549, Humic Acid and Fulvic Acid, D and C Set, Acid Orange, Lead Acid starter Batteries, Adipic Acid |
|-------------------------|--|
| | <p>Searched String: Methyl red</p> <p>Methyl Red, personal safety kit reflective luminous garments, Methyl Orange, Methyl Benzoate, Bio - Medical Waste Collection Bags (Biohazard Bags), Methyl Iodide, Cricket Ball, Methyl acetate, Cat 6 Patch cord, Methyl Salicylate</p> <p>Searched String: Bromocresol green</p> <p>Bromocresol green, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Bromocresol Green Indicator, Bromocresol Purple-IS:2263, Power Generator - DG Set (up to 900 KVA), GREEN GRAM Seeds, Green peas defence, Bio - Medical Waste Collection Bags (Biohazard Bags), Detox Green Capsules, Split Air Conditioner Including Green AC, Wall Mount Type</p> <p>Searched String: Potassium dichromate(ER)</p> <p>Potassium Dichromate, Flame Photometer, Potassium Persulfate (Potassium Peroxodisulfate), Potassium metabisulfite, Blood Sample Collection Tubes, Potassium Tetraborate, books, Potassium BiSulphate, Potassium Iodide as per IS 7163, Potassium Pyroantimonate</p> <p>Searched String: Diphenylamine indicator(ER)</p> <p>Barium Diphenylamine Sulfonate, Bluetooth Speakers, Diphenylamine - IS 8278, Phenolphthalein indicator, Indicator lights or Lamps, Universal Indicator, Phase Indicator, Silica Gel as per IS 3401, WEIGHT INDICATOR, books</p> <p>Searched String: Sulphuric acid (ER)</p> <p>Centrifugal Pump for Sulphuric Acid (IOCL), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sulphuric acid for Bulk supply - FACTL, Sulphuric Acid in Tanker as per IS 266, Sulphuric Acid as per IS 266, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sulphuric Acid (V2) Conforming to IS 266, Sulfuric acid (Research grade), Lead Acid starter Batteries, GTAW wire ER 347 - BHEL</p> <p>Searched String: Sodium fluoride (ER)</p> <p>Sodium fluoride, Extra Pure and AR/ACS, Blood Sample Collection Tubes, Ammonium Fluoride, Blood Specimen Collection Tubes, Potassium Fluoride, Flame Photometer, Fluoride Standard Solution, books, GTAW wire ER 347 - BHEL, High Pressure Sodium Vapour Lamps (HPSV Lamps) as per IS 9974 (Part 1 and 2)</p> <p>Searched String: Magnesium oxide</p> <p>Light Magnesium Oxide (ONGC), Zinc Oxide Elastic Self - Adhesive Bandage (V2), Magnesium Oxide as per IS 2529, Magnesium (Mg) Powder, Grinding Wheel With Shelf Life, Magnesium Gym Chalk, Magnesium Standard Solution, Metal Oxide Lightning Arresters Without Gaps as per IS 3070 (Part 3), Magnesium anode Ribbon, Ready Mixed Paint, Air Drying, Red Oxide Zinc Chrome, Priming as per IS</p> |

2074
Bid Details/बिड विवरण

Searched String: Salicylic acid (SQ)

Veratric Acid (3,4-Dimethoxybenzoic Acid), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Humic Acid and Fulvic Acid, Inflatable Tent, Acid Orange, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Adipic Acid, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Perchloric acid, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694

Searched String: Sodium thiosulphate(ER)

Sodium Thiosulphate as per IS 14781, Blood Sample Collection Tubes, Ammonium thiosulphate, GTAW wire ER 347 - BHEL, Flame Photometer, SODIUM ACETATE, D and C Set, Sodium Hydrosulfite, books, SODIUM COBALTINITRITE

Searched String: Potassium sulphate(SQ)

Potassium Sulphate, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Potassium Hydrogen Sulphate, Aluminium Potassium Sulphate-IS 12875, Flame Photometer, Potassium Persulfate (Potassium Peroxodisulfate), Ammonium Sulphate, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cadmium Sulphate, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: Copper sulphate(AR)

Copper Sulphate (V2) as per IS 261, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest), Ammonium Sulphate, Cadmium Sulphate, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Ferrous Sulphate, D and C Set, Mercuric Sulphate, Induction Motor as per IS 12615, IS 325, Stannous Sulphate

Searched String: Selenium powder(AR)

Yttrium Oxide AR, Squeegee Washer Wiper Mopper (V2), Ammonium acetate AR Grade, Sodium Sulphite as per IS: 247, N - Hexane AR Grade, Portable Fire Extinguishers (V2) as per IS 15683:2018, Cupferron, Orthotolidine, Kalignost / Sodium Tetraphenylborate, Garden Bench

Searched String: Nitric acid (ER)

Nitric Acid (V2) as per IS 264, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Nitric Acid for Bulk Supply as per IS 264, GTAW wire ER 347 - BHEL, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Veratric Acid (3,4-Dimethoxybenzoic Acid), Brush for Road Sweeper Machine, Humic Acid and Fulvic Acid, Lead Acid starter Batteries, Acid Orange

Searched String: Ammonium Molybdate(SQ)

Ammonium molybdate, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sodium molybdate, Ammonium acetate, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Ammonium thiocyanate, XLPE Cables for Working Voltages From 3.3 KV up to and

| Bid Details/As per | Including 33 KV as per IS 7098 (Part 2), Ammonium thiosulphate, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Ammonium carbonate |
|--------------------|---|
| | <p>Searched String: Antimony potassium Tartarate</p> <p>Antimony Trichloride, Flame Photometer, Antimony Trioxide, Potassium Persulfate (Potassium Peroxodisulfate), Blood Sample Collection Tubes, Potassium metabisulfite, Potassium Dichromate, Potassium Iodide as per IS 7163, Potassium Tetraborate, Antimony Sulphide as per IS: 5731</p> <p>Searched String: Ascorbic acid(SQ)</p> <p>ASCORBIC ACID, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), L-Ascorbic Acid, Urine Test Strips, Veratric Acid (3,4-Dimethoxybenzoic Acid), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Humic Acid and Fulvic Acid, Hand Dryer (V2), Acid Orange, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549</p> <p>Searched String: Potassium dihydrogen orthophosphate(A.R)</p> <p>Potassium Dihydrogen Orthophosphate, Mobile Containers For Solid Waste (Industrial) - IS 12402, Sodium dihydrogen orthophosphate dihydrate, Dry Chemical Powder for Fire Fighting (Potassium Bicarbonate Base Urea Reaction Product) Type - A, books, Muffle Furnace, Bills or Bill Books (V2), Panel Air Conditioner, Credenzas</p> <p>Searched String: Stannous Chloride(ER)</p> <p>Stannous Chloride, Suction Catheters (V2), Stannous Sulphate, GTAW wire ER 347 - BHEL, Yoga Mats, Mercuric Chloride, Floor Drain Traps, Cadmium chloride, books, Benzyl Chloride</p> <p>Searched String: Barium Chloride dihydrate(SQ)</p> <p>Barium Bromide Dihydrate, Barium Chloride as per IS: 5288, Barium Chloride liquid, Copper (II) chloride dihydrate or Cupric chloride dihydrate, Calcium Chloride Dihydrate as per IS 10758</p> <p>Searched String: Ethanol</p> <p>Centrifugal Pump for Ethanol (IOCL), Methyl Di Ethanol Amine (MDEA) in tanker, Methyl Di-Ethanol Amine - ONGC, Fuel Dispensing Units, Anhydrous Denatured Ethanol as per IS 15464, D and C Set, Cap FS Disruptive (JSS), Special Proofed Canvas / Duck as per IS 6803, Crosswell Tomography Software</p> <p>Searched String: Glycerol(SQ)</p> <p>Glycerol triacetate, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Carpenter Squares, D and C Set, Bamboo Square Stick Making Machines, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Stainless Steel Rectangular / Square Tube, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Squash, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part</p> |

| Bid Details/बिड विवरण | 2) |
|--|---|
| <p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p> | <p>Searched String: magnesium Chloride hexahydrate(ER) Magnesium Chloride as per IS:254, D and C Set, Regulators for Breathing Apparatus (Diving Instruments or Accessories)</p> <p>Searched String: Gum acacia(SQ) FPO - Acacia Honey, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Guar Gum - Oil, Office Bags and Laptop Bags, Gum Powder from Sri Ganganagar - ODOP, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Gum Arabic as per IS: 356, Ornamental trees, Paper Adhesive, Liquid Gum and Office Paste Type as per IS 2257 (Rev), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)</p> <p>Searched String: Potassium nitrate(GR) Potassium Nitrate, Flame Photometer, Potassium Nitrate as per IS:301, Chlorpyrifos 10% GR, Blood Sample Collection Tubes, Chlorantraniliprole 0.4 % GR, Potassium Persulfate (Potassium Peroxodisulfate), Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Blasting Grade Ammonium Nitrate, D and C Set</p> <p>Searched String: Magnesium sulphate Heptahydrate(ER) Magnesium sulphate Injection, Magnesium Sulphate (Epsom Salt) as per IS 2730, ZINC SULPHATE HEPTAHYDRATE - ONGC, HF RFID Integrated Reader, Zinc Sulphate Heptahydrate, Agricultural Grade, Ferrous Sulphate, Iron Sulphate, Heptahydrate as per IS:262, D and C Set, Zinc Sulphate Heptahydrate, Industrial Grade as per IS 1880, Regulators for Breathing Apparatus (Diving Instruments or Accessories)</p> <p>Searched String: EDTA (disodium salt)(ER) EDTA disodium salt, EDTA - Disodium Salt (ONGC), Regulators for Breathing Apparatus (Diving Instruments or Accessories), Chromotropic acid disodium salt dihydrate</p> <p>Searched String: Ammonium Chloride Ammonium Chloride (ONGC), Suction Catheters (V2), Ammonium Chloride Reagent Grade, High Level Medical Device Disinfectant, Ammonium Chloride + Bromhexine + Dextromethorphan + Menthol, Yoga Mats, Diphenhydramine Hydrochloride + Ammonium Chloride + Sodium Citrate + Menthol, Ammonium Chloride, Technical and Pure as per IS: 1113, Ammonium Chloride + Bromhexine + Dextromethorphan + Menthol Syrup (V2), Floor Drain Traps</p> <p>Searched String: Erichrome Black T Eriochrome Black T, computer mouse or trackballs, Black Pepper, Black Salt, BLACK GRAM Seeds, Endpoint Detection and Response (EDR) Appliance / Software, anklet synthetic black, T - Shirt (V2), Black Pottery - ODOP, Shoe Shine Machine</p> <p>Searched String: DTPA(GR) Chlorpyrifos 10% GR, Forged or Rolled Alloy And Stainless</p> |

| Bid Details/As per | Steel Pipe Fitting, Chlorantraniliprole 0.4 % GR, books, Cartap Hydrochloride 4 % GR as per IS 14184, |
|--------------------|--|
| | <p>Telecommunication Cable - Fully Filled Petroleum Jelly or Absorbent Thixotropic Gel (V2), Diethylenetriaminepenta acetic acid, Dial Type Gas Expansion Temperature Gauge / Thermometer, Ordinary Portland Cement (43 Grade or 43 - S Grade) for Bulk Buying (V2) as per IS 269, Seamless Ferritic Alloy - Steel Pipe for High - Temperature Service</p> <p>Searched String: Azomethine H</p> <p>Azomethine-H-Monosodium Salt Monohydrate, Modular Table, TLC Silica Gel H Plates, BTI A.S. Serotype H-14 - Defence, books, Bti W.P. Serotype H - 14 (Defence), H Size Diamond Impregnated Core Bit (CMPDI), Side Table, H Size PCD Non Coring Bit (CMPDI), Motherboard for Desktop</p> <p>Searched String: Activated Charcoal Powder (SQ)</p> <p>Activated Charcoal Powder, Household Laundry Detergent Powders as per IS 4955, Activated Charcoal Tablets, Regulators for Breathing Apparatus (Diving Instruments or Accessories), HF RFID Integrated Reader</p> <p>Searched String: Curcumin</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Oxalic Acid(ER)</p> <p>Oxalic Acid as per IS: 501, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, GTAW wire ER 347 - BHEL, Veratric Acid (3,4-Dimethoxybenzoic Acid), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Humic Acid and Fulvic Acid, Lead Acid starter Batteries, Acid Orange, Lead Acid Traction Battery as per IS 5154, Adipic Acid</p> <p>Searched String: Silver Chloride</p> <p>Silver chloride, Suction Catheters (V2), Silver sulfate, Silver Coins, Yoga Mats, SILVER SULPHADIAZINE CREAM, Floor Drain Traps, Mercuric Chloride, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest), Cadmium chloride</p> <p>Searched String: TISAB III</p> <p>Tisab III Solution, Insulation Tester, TISAB II Solution, Sudan Black III (Dye), books, Dental stone - Type III, White LED Based Solar Street Lighting System for Model (I, II, III And IV), Bio Safety Level - III Cabinet, Padlock (General Use), Bayley-III Screening Test Complete Kit</p> <p>Searched String: Murexide (Ammonium Purpurate)(SQ)</p> <p>Murexide or Ammonium Purpurate</p> <p>Searched String: Sodium Acetate(ER)</p> <p>SODIUM ACETATE, Blood Sample Collection Tubes, SODIUM ACETATE (ANHYDROUS) - ONGC, Ammonium acetate, Yoga Mats, Barium Acetate, D and C Set, Zinc Acetate, Flame Photometer, Butyl Acetate</p> <p>Searched String: Sodium Sulphate (ER)</p> <p>Sodium Lauryl Sulphate-IS 3986, Blood Sample Collection</p> |

| Bid Details/As Per | Tubes, Sodium Sulphate as per IS: 247, Ammonium Sulphate, Flame Photometer, Cadmium Sulphate, Electronic Milk Analyser with adulteration testing equipment, Ferrous Sulphate, books, Mercuric Sulphate |
|--------------------|--|
| | <p>Searched String: Barium Chloride (ER)</p> <p>Barium Chloride liquid, Suction Catheters (V2), Barium Chloride as per IS: 5288, Barium Nitrate, Yoga Mats, Barium Hydroxide, Floor Drain Traps, Barium Acetate, books, Barium Perchlorate</p> <p>Searched String: Potassium Chromate(ER)</p> <p>Potassium Chromate- IS:6605, Flame Photometer, Potassium Chromate as per IS:6605, Potassium Persulfate (Potassium Peroxodisulfate), Blood Sample Collection Tubes, Potassium metabisulfite, Potassium Dichromate, books, Potassium Tetraborate, Potassium Iodide as per IS 7163</p> <p>Searched String: Silver Nitrate(ER)</p> <p>Silver Nitrate as per IS 2214, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest), ECO - Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate), Silver sulfate, Workstation, Silver chloride, D and C Set, Silver Coins, books, Aluminium nitrate</p> <p>Searched String: Aluminium Potassium sulphate(SQ)</p> <p>Aluminium Potassium Sulphate-IS 12875, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Potassium Sulphate, Potassium Hydrogen Sulphate, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Aluminium Sulphate (ONGC), Aluminium Ammonium Sulphate Dodecahydrate, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), ALUMINIUM SULPHATE (NON- FERRIC)-ONGC, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: Lead Standard Solution (1000 ppm)</p> <p>Sulfate Standard Solution, Formaldehyde Solution as per IS 3321, Manganese Standard Solution, Adhesive Solution For Conveyor Belt-IS2561, Fluoride Standard Solution, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, BOD Standard Solution, Conductivity Standard Solution, All in One PC, Copper Standard Solution</p> <p>Searched String: Cadmium Standard Solution (1000 ppm)</p> <p>Sulfate Standard Solution, Formaldehyde Solution as per IS 3321, Manganese Standard Solution, Adhesive Solution For Conveyor Belt-IS2561, Fluoride Standard Solution, All in One PC, BOD Standard Solution, Conductivity Standard Solution, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Copper Standard Solution</p> <p>Searched String: Zinc Standard Solution (1000 ppm)</p> <p>Zinc Standard Solution, Formaldehyde Solution as per IS 3321, Sulfate Standard Solution, Manganese Standard Solution, All in One PC, Fluoride Standard Solution, Zinc coated EDM wire, BOD Standard Solution, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Conductivity Standard Solution</p> |

| | |
|--|---|
| Bid Details/बिड विवरण | <p>Searched String: Iron Standard Solution (1000 ppm)</p> |
| | <p>Sulfate Standard Solution, Formaldehyde Solution as per IS 3321, Iron Standard, Adhesive Solution For Conveyor Belt-IS2561, Manganese Standard Solution, All in One PC, Fluoride Standard Solution, BOD Standard Solution, Domestic Clothing Irons (Electric Iron) as per IS 366, Conductivity Standard Solution</p> <p>Searched String: Manganese Standard Solution (1000 ppm)</p> <p>Manganese Standard Solution, Silico Manganese as per IS 1470, Sulfate Standard Solution, Fluoride Standard Solution, Ferro Manganese, High Carbon (V2) as per IS 1171, BOD Standard Solution, Formaldehyde Solution as per IS 3321, Conductivity Standard Solution, All in One PC, Copper Standard Solution</p> <p>Searched String: Sulphate Standard Solution (1000 ppm)</p> <p>Sulfate Standard Solution, Formaldehyde Solution as per IS 3321, Manganese Standard Solution, Adhesive Solution For Conveyor Belt-IS2561, Fluoride Standard Solution, All in One PC, BOD Standard Solution, Conductivity Standard Solution, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Copper Standard Solution</p> <p>Searched String: Boron Standard Solution (1000 ppm)</p> <p>Sulfate Standard Solution, Formaldehyde Solution as per IS 3321, Manganese Standard Solution, Adhesive Solution For Conveyor Belt-IS2561, Fluoride Standard Solution, All in One PC, BOD Standard Solution, Conductivity Standard Solution, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Copper Standard Solution</p> <p>Searched String: Copper Standard Solution (1000 ppm)</p> <p>Copper Standard Solution, Formaldehyde Solution as per IS 3321, Sulfate Standard Solution, Manganese Standard Solution, Earthing Rod as per IS 3043, Fluoride Standard Solution, Adhesive Solution For Conveyor Belt-IS2561, BOD Standard Solution, All in One PC, Conductivity Standard Solution</p> <p>Searched String: Nickel Standard Solution (1000 ppm)</p> <p>Sulfate Standard Solution, Formaldehyde Solution as per IS 3321, Manganese Standard Solution, Adhesive Solution For Conveyor Belt-IS2561, Fluoride Standard Solution, All in One PC, BOD Standard Solution, Conductivity Standard Solution, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Copper Standard Solution</p> |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> • Fluoride Standard Solution |
| BOQ Title/बीओक्यू शीर्षक | Laboratory chemicals and standard solutions |
| Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) | 1 Lakh (s) |

| Bid Details/बिड विवरण | |
|---|---|
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 1 Year (s) |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट | No |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट | No |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | Yes |
| Past Performance/विगत प्रदर्शन | 10 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | No |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | Potassium chloride |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Estimated Bid Value/अनुमानित बिड मूल्य | 296756 |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

ePBG Detail/ईपीबीजी विवरण

| | |
|---|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) /ईपीबीजी प्रतिशत (%) | 0.01 |

Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).

12

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

NERIWALM

Director, NA, North Eastern Regional Institute of Water and Land Management (NERIWALM), Ministry of Water Resources River Development and Ganga Rejuvenation (Director)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

No

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM_No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of

quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Potassium Chloride

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Sodium Hexametaphosphate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Sodium Hydroxide**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Boric Acid**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Methyl Red**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 50 | 15 |

Bromocresol Green**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 10 | 15 |

Potassium Dichromate**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Diphenylamine Indicator**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Sulphuric Acid

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 13 | 15 |

Sodium Fluoride

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|------------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Magnesium Oxide

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|------------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Salicylic Acid

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Sodium Thiosulphate**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 500 | 15 |

Potassium Sulphate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Copper Sulphate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 500 | 15 |

Selenium Powder

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 50 | 15 |

Nitric Acid ER

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 13 | 15 |

Ammonium Molybdate**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Antimony Potassium Tartarate**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Ascorbic Acid**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 750 | 15 |

Potassium Dihydrogen Orthophosphate**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Stannous Chloride**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Barium Chloride Dihydrate**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Ethanol

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 2500 | 15 |

Glycerol

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
|-------------------------------|---------------------------|

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Magnesium Chloride Hexahydrate

Technical Specifications/तकनीकी विशिष्टियाँ

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Gum Acacia

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Potassium Nitrate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Magnesium Sulphate Heptahydrate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

EDTA Disodium Salt**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Ammonium Chloride

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Erichrome Black T

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 50 | 15 |

DTPA

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Azomethine -H

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 5 | 15 |

Activated Charcoal Powder**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Curcumin**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 30 | 15 |

Oxalic Acid**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Silver Chloride**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 125 | 15 |

TISAB III**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1425 | 15 |

Murexide Ammonium Purpurate**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 15 | 15 |

Sodium Acetate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Sodium Sulphate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
|-------------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Barium Chloride**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1500 | 15 |

Potassium Chromate**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Silver Nitrate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 75 | 15 |

Aluminium Potassium Sulphate

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Lead Standard Solution**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Cadmium Standard Solution

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Zinc Standard Solution

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Iron Standard Solution

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 500 | 15 |

Manganese Standard Solution

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Sulphate Standard Solution**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 1000 | 15 |

Boron Standard Solution**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 100 | 15 |

Copper Standard Solution**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Nickel Standard Solution**Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--|-----------------------|-------------------------------------|
| 1 | Rina Singha | 784027,NERIWALM, Dolabari, P.O. Kaliabhomora, Tezpur | 200 | 15 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Terms and conditions: 1. The following companies are preferred for their proven quality and reliability in supplying Certified, AR & ER grade chemicals:

- 1.Merck Life Science Pvt. Ltd.
- 2.Aashvi Technology LLP,
- 3.Qsure technotrade Sigma-Aldrich (India)
- 4.Loba Chemie Pvt. Ltd.
- 5.Fisher Scientific (Thermo Fisher)
- 6.SRL (Sisco Research Laboratories Pvt. Ltd.)
- 7.CDH Fine Chemical
- 8.Aventor Chemical

Technical Specifications: Certificates of Analysis (CoA) must be provided with the supply.

Quality Assurance: Damaged, expired, or substandard items will not be accepted.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in

the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---