BILL OF QUANTITIES

Sl no	Description of the items	Unit	Qnty	Rate (in figure & in words)	Amount (in figure & in words)
1	Providing dressed wood work in posts, walls, battens, post plate bressumers etc. Including supplying and fixing with spikes,nails, bolts and nuts of 12mm dia(M.S) and required length ect.complete with kircide oiling two faces in contact with C.C or masonry (M.S flats, angles, cleats and bolts and nuts required for flats, angle cleats whereever necessary shall be measured and paid separately)	Cum	1.48		
	(b) With Hollock timber Post				
	Purlin, rafter				
2	Finishing wall with water proofing cement paint of approved brand and manufacture and of required shade on old wall surface (one coat) to give an even shade after throughly brooming the surface to remove all dirt and remains of loose or softened	Sqm	770.16		
3	Extra over painting with water proofing cement paint over old wall for every subsequent coat of paint	Sqm	770.16		
4	Labour for fitting, fixing Galvanised corrugated iron roofing including supplying and fixing with new galvd screw, J hooks, bolts nuts, washer etc. complete as directed.	Sqm	255.50		
5	Providing barge board of size 200mmx20mm with 1st class local Hollock/Bonsum timber including fitting and fixing with necessary wood screws etc. Complete.	RM	64.70		
6	Painting one coat (excluding priming coat) on old wood and wood based surfaces with enamel paint to give to give an even shade including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping. (i) Surface over 100 mm in width or girth (a) General purpose (Asian/Berger/ICI/J&N/ Nerolac Paint)	Sqm	48.78		
7	Extra over item of painting with enamel paint as above (i) Surface over 100 mm in width or girth	Sqm	48.70		
	(a) General purpose (Asian/Berger/ICI/J&N/ Nerolac Paint)				
8	Applying priming coat over new steel and metal surface over 100 mm in with or girth after preparing the surface by throughly cleaning oil, grease, dirt and foreign matter and scoured with brushes, fine steel, wood scrapeers and sand paper	Sqm	508.35		

Sl no	Description of the items	Unit	Qnty	Rate (in figure & in words)	Amount (in figure & in words)
110	(a) With ready mixed "red-lead/red oxide" primer			words	110143)
9	Painting one coat on old C.G. I sheets with ready mixed anticorrosive paint of approve brand and shade suitable for painting over G.C.I sheets to give an even shade including cleaning the rust patches with emery paper, dust, dirt, grease and other foreign matter with water complete	Sqm	812.49		
10	Extra over item no as above for every subsequent coat of paint	Sqm	812.49		
11	Painting one coat (excluding priming coat) on previously painted steel or metal surface surfaces with enamel paint to give to give an even shade including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping.	Sqm	340.10		
	(i) Surface over 100 mm in width or girth (a) General purpose (Asian/Berger/ICI/J&N/ Nerolac Paint)				
12	Extra over item no as above for every subsequent coat of paint	Sqm	340.10		
то	TAL				

Name & Signature of Contractor/Party	:

Contact No:

Address: