

Website: <https://neriwalm.gov.in>  
E-mail: [dir-neriwalm@gov.in](mailto:dir-neriwalm@gov.in)  
[director.neriwalm@gmail.com](mailto:director.neriwalm@gmail.com)  
Ph No.(03712)291069



दोलाबारी, कालियाभोमोरा  
Dolabari, P.O. Kaliabhomora  
तेजपुर-784027, असम (भारत)  
Tezpur-784027, Assam (India)



**पूर्वोत्तर क्षेत्रीय जल और भूमि प्रबंधन संस्थान**  
**NORTH EASTERN REGIONAL INSTITUTE OF WATER AND LAND MANAGEMENT**  
(जल संसाधन, नदी विकास और गंगा कायाकल्प विभाग, जल शक्ति मंत्रालय, भारत सरकार के अधीन एक संस्थान)  
(An Institute under the Department of Water Resources, River Development and Ganga Rejuvenation,  
Ministry of Jal Shakti, Govt. of India)

**No. Ad-28/2/2026-Administration-NERIWALM**

**Comp. No. 306376**

**NOTICE INVITING e-TENDER THROUGH CPPP**

**ONLINE BIDS** (Technical and Financial) are invited by the Director, NERIWALM, Dolabari, Tezpur-784027 (Assam) from appropriate Govt. Registered Contractors/Firms/Company/Individuals having experience and valid documents in similar nature of works as given below. The tender documents along with tendering procedure, terms and conditions, etc. may be viewed and downloaded from the institute's website <https://neriwalm.gov.in>. **Interested bidders may participate the ONLINE bidding process in CPP PORTAL.**

The tenders (Technical Part) will be opened in the Administrative Building of NERIWALM in presence of the tenderer or their authorized representatives, if any. The (Financial Part) shall be opened on the same day **"OR"** afterwards to be notified subsequently through CPP PORTAL at the same place. In the event of the date of opening being declared holiday, the tender will be opened on next working day at the same place and time. Chronological details are as given below:

| Sl. No. | Name of the Work                                                                                                                                                                                                                                                                                                          | Estimated amount (inclusive GST, all other charges etc.)                                      | Earnest Money                                                                                                                                               | Tender Fee (Non-refundable)                                                                                                                                   | Completion Period                                           | Last date of submission of Tender (Technical & Financial) | Tentative Date of opening the tender |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------------------------------------------------|--------------------------------------|
| 01      | PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM. | <b>Rs. 18,99,405.00</b><br>(Rupees Eighteen Lakh Ninety-Nine Thousand Four Hundred Five) Only | <b>Rs. 38,000.00</b><br><br>EMD is payable in the form of Demand Draft/ Banker's Cheque/ Pay Order/ISB in favour of "The Director, NERIWALM, Tezpur, Assam" | <b>Rs. 500.00</b><br><br>Tender Fee is payable in the form of Demand Draft/ Banker's Cheque/ Pay Order in favour of "NERIWALM REVENUE ACCOUNT" Tezpur, Assam. | <b>60 (Sixty) days from the date of issue of Work Order</b> | <b>Minimum 21 days from date of uploading in CPPP</b>     | <b>As per CPPP</b>                   |

Director, NERIWALM reserves the right to accept or reject any or all the tenders without assigning any reason thereof. The Tender Documents may please be read thoroughly before filling up.

Deputy Director (Admin)  
NERIWALM

**Copy to :**

1. PS to Director for favour of Director's kind information.
2. Chief Vigilance Officer (CVO), NERIWALM.
3. Assistant Director (Civil), NERIWALM.
4. Accounts Officer, NERIWALM.
5. NERIWALM WEBSITE: <https://neriwalm.gov.in> for publishing.
6. Notice Board, NERIWALM for wide circulation.

**Tender Notice No. : Please Refer NIT Notice Issue No.**


**e-TENDER FOR** “PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM.”

**Situation of the work :** NERIWALM Campus, Dolabari, PO: Kaliabhomora, Tezpur - 784027, Assam

**Name of the work:** PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM.

**Through CPPP**

**Invited by**



**पूर्वोत्तर क्षेत्रीय जल और भूमि प्रबंधन संस्थान**  
**NORTH EASTERN REGIONAL INSTITUTE OF WATER AND LAND MANAGEMENT**  
**(जल संसाधन, नदी विकास और गंगा कायाकल्प विभाग, जल शक्ति मंत्रालय, भारत सरकार के अधीन एक संस्थान)**

(An Institute under the Department of Water Resources, River Development and Ganga Rejuvenation,

Ministry of Jal Shakti, Govt. of India)

Dolabari, P.O Kaliabhomora

Tezpur-784027, Assam (India)

Website: <https://neriwalm.gov.in>

Phones: 03712-291069

## SECTION-1

### 1. ABOUT NOTICE INVITING TENDER

**Tender Notice No. :** (As mentioned in the first page above)

| Sl. No. | Name of the work                                                                                                                                                                                                                                                                                                           | Remarks                                                                                            |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| 01      | PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM.. | Rates for all the items shall be quoted by the bidders in Financial Bidding process (Online Event) |

**Estimated value :** As indicated in the Tender Notice.

**Important Dates :** As indicated in Tender Notice.

**Tender Fee (non-refundable) :** Amount is indicated in Tender Notice. It shall be submitted **OFF-LINE** by Demand Draft/BC/Pay Order in favour of “ **NERIWALM REVENUE A/C**”, NERIWALM, Dolabari, Tezpur – 784 027 (Assam). Particulars of the Tender Fee shall be submitted on line with Technical Bid.

**Earnest Money Deposit (EMD) (Refundable) :** Amount is indicated in Tender Notice. It should be in the form of Demand Draft/Banker's Cheque/Pay Order/ Insurance Surety Bonds in favour of **The Director, NERIWALM, Tezpur, Assam** payable at Tezpur from a Scheduled Bank shall be submitted **OFF-LINE**. Particulars of the EMD shall be submitted **ONLINE** with Technical Bid. The EMD of the successful bidder shall be released only after submission of the performance security and signing of the Agreement.

(EMD and Tender Fee are to be mandatorily submitted by all the bidders)

Bidders are advised to visit NERIWALM's Website: <https://neriwalm.gov.in> regularly for updates/amendments, if any.

**Mode of bidding :** The mode of bidding is **ONLINE**. Interested bidders may participate in the bidding process in **CPP PORTAL** for Technical & Financial Bids in Two bid system. Only the following mentioned documents shall be accepted in physical mode **or** by post addressed to the **Director, NERIWALM, PO : Kaliabhomora, Tezpur, Assam (Pin-784027)**, and should reach before the due date and time of opening the tender. The sealed envelope shall bear the name of the work and Tender Notice & Description and the words” **DO NOT OPEN BEFORE DUE DATE & TIME**”.

- ☐ Tender Fee in the form of Demand Draft/Banker's Cheque /Pay Order (in original).
- ☐ EMD in the form of Demand Draft/Banker's Cheque / Pay Order/ISB (in original).

☐ Pass Phrase/any information for opening of bids (if required).

### **Eligibility Criteria:**

1. Govt registered Contractor/Party/Firm/Individual having experienced in execution of building works may participate in the bidding process.
2. Average Annual Financial Turnover during the last 3 years, ending 31st March 2026, should be at least Rs.15.0 Lakhs.
3. The Bidder should not have been barred/blacklisted by any PSU/Govt. Deptt. in doing business with them (Please submit undertaking as per FORMAT attached).
4. The Bidder should have the following valid Licence/Certificate and shall continue to be valid until the completion of the work, without which the tender summarily will be rejected.
  - a. Registration Certificate of Contractor/Firm/Individual with Govt. Deptt/Organisation/PSU.
  - b. Registration Certificate for GST, PAN, EPF & ESIC.
  - c. Labour Licence from concerned Labour Department.
  - d. Solvency Certificate from its Banker.
  - e. Turn over Certificate
  - f. Experience certificate
  - g. 01 (One) year Audited Balance Sheet & IT Return Statement of Last Financial Year.

(Submit attested copies of all the documents online as stated at **Section – 02**)

**Note :** Registration Certificate of the work with Labour Department & BOCW (Board of Construction Workers) shall be obtained by the Contractor after receipt of the Lol (Letter of Intent), and the same shall be submitted to NERIWALM before commencement of the work. The registration must continue to be valid till the work is completed.

## **SECTION-2**

### **INSTRUCTIONS TO BIDDERS**

#### **2.1 INTRODUCTION (DEFINITIONS)**

- 2.1.1 **“Purchaser”/ “Employer”** means North Eastern Regional Institute of Water and Land Management (NERIWALM), Dolabari, Tezpur – 784027 (Assam).
- 2.1.2 **“Bidder”** means the Individual or Firm or Corporate Body who participates in the tender and submits its bid.
- 2.1.3 **“Letter of Intent (LOI)”** means the communication of the intention of the Purchaser to the Bidder to place the Purchaser Order/Work Order for the former's offered goods/services.
- 2.1.4 **“Purchase/Work Order”** means the order placed by the NERIWALM on the Contractor/Supplier duly signed by the authorized Officer of NERIWALM for execution of certain works mentioned in the tender from the Vendor/Contractor.
- 2.1.5 **“Contract Price”** means considerations payable to the supplier/contractor as stipulated in the Purchase or Work Order for performance of specified contractual obligations.
- 2.1.6. **“ Contractor”** means the successful bidder to whom the work would be awarded.

#### **2.2 AMENDMENT TO BID DOCUMENTS**

2.2.1 At any time, prior to the date of submission of bids, NERIWALM may for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bid documents by amendments.

2.2.2 The Amendment/Corrigendum will be notified on NERIWALM Website <https://neriwalm.gov.in> and these amendments will be binding on them. Bidders are advised to visit NERIWALM website regularly for updates on this Tender.

## 2.3 EXTENSION OF TIME

In order to give prospective bidders required time in which to take the amendments into action in preparing their bid, the NERIWALM may at its discretion extend the deadline for submission of bid suitably.

## 2.4 BID PRICE

The Rate to be quoted shall be **FOR NERIWALM, Tezpur which is** inclusive of all the materials, labour, charges, taxes and duties, GST, Tools & plants, scaffolding and other statutory charges etc as applicable. Charges for scaffolding will be measured and paid for the item no. 59 only (for providing and fixing sheet covering ..... 200 mm wide) mentioned at Section – 8 of Tender Document. Insurance, Compensation, Medical expenditure shall be the liability of bidder/contractor. The execution of the work items shall be up to (G+5) level.

## 2.5 VALIDITY PERIOD OF BID

Bid shall remain valid for **120 (one hundred twenty) days** after the date of bid opening. The bid valid for a shorter period shall be rejected by NERIWALM as **non-responsive bid**. In exceptional circumstances, NERIWALM may request the consent of the bidder for an extension to the period of bid validity. The bid security shall also be suitably extended. A bidder accepting the request and granting extension will not be permitted to modify his bid.

## 2.6 : EVALUATION OF TENDERS

2.6.1 NERIWALM shall evaluate the bids in respect to the substantive responsiveness of the bid or otherwise. The NERIWALM shall carry out detailed evaluation of the substantially responsive bids. The NERIWALM shall check the bids to determine whether they are complete, whether any computational errors have been made or required sureties have been furnished.

2.6.2 Arithmetical error shall be rectified on the following basis :-

- a) If there is a discrepancy between the unit price and total price that is obtained multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected accordingly by the Purchaser.
- b) In case of discrepancy between words and figures, the amount in words shall prevail.

2.6.3 A bid determined as substantially non-responsive shall be rejected by the NERIWALM.

2.6.4 The NERIWALM may waive any minor infirmity or non-conformity or irregularity in the bid which does not constitute a material deviation.

2.6.5 The NERIWALM shall evaluate in detail and compare the bids which are substantially responsive.

2.6.6 The evaluation of the ranking shall be carried out on the landed price of goods/services offered inclusive of all taxes.

2.6.7 The distribution of tendered quantity amongst the technically and commercially complied bidders shall be based on merits of each case.

2.6.8 NERIWALM shall have the sole discretion in deciding the number of parties on whom the orders shall be finally placed.

## **2.7 : NERIWALM's RIGHT TO VARY QUANTITIES**

2.7.1 The Director, NERIWALM reserves the right at the time of award of the contract /during execution to increase/decrease the quantity of the goods, services and items of works specified in the schedule of requirements without any change in unit price of the ordered quantity. Any extra item to be executed upon execution in the interest of the work, will be billed as per DSR-23 for scheduled items and as per market rates for Non-scheduled items, if any.

2.7.2 In case of division of order among number of parties. The distribution of quantity will be accordingly done by the Purchaser on an individual tender.

## **2.8 : NERIWALM'S RIGHT TO ACCEPT ANY BID AND TO REJECT ANY OR ALL BIDS**

The NERIWALM does not bind itself to accept lowest or any other tender/bid and has the right to cancel the bidding process and reject all bids at any time prior to award of the contract without assigning any reasons whatsoever and without thereby incurring any liability to the affected bidder on the grounds for NERIWALM's action.

## **2.9 : CANCELLATION OF LETTER OF INTENT/WORK ORDER**

Failure of the successful bidder to comply with the requirement of submission of Performance Guarantee or any documents in time shall constitute sufficient ground for the cancellation of the acceptance of bid and forfeiture of the EMD, in which case NERIWALM may make the offer to any other bidder at the discretion of the Purchaser or call for new bids.

## **2.10 : INSTRUCTIONS REGARDING ONLINE BID SUBMISSION**

### **2.10.1 Bidding Methodology:**

Two-Bid System (Technical Part and Financial Part to be submitted by Bidders at the same time) shall be followed.

### **2.10.2 Digital Certificates**

For integrity of data and its authenticity/ non-repudiation of electronic records, and to become compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC). also referred to as Digital Signature Certificate (DSC), of Class 2 or above, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [refer <http://www.cca.gov.in>].

### 2.10.3 On-Line Submission :

The On Line Submission will have the following activities :

**(A) Technical Bid Part :** The following shall be signed digitally and will comprise the Technical Bid in PDF : **(NON-SUBMISSION OF BELOW LISTED DOCUMENTS MAY LEAD TO DISQUALIFICATION OF THE BID/TENDER)**

- i. Submission of the acceptance letter of all the Terms and Conditions of the Tender.
- ii. Submission of particulars of **EMD & Tender Fee**. (Mandatory)
- iii. Submission of copies of valid Registration Certificate of the Contractor/Firm/Individual with Govt Dept/Organization (Mandatory)
- iv. Submission of registration certificate with **GST, PAN, EPF & ESIC**. (Mandatory)
- v. Submission of valid **Labour License** issued from Govt. Dept. (Mandatory)
- vi. Submission of Work Completion Certificate/Performance certificate for similar type & nature of works in Govt Dept/Organization/PSU last 3 (three) FY (2023-24, 2024-25, 2025-26) of single completed work value of at least Rs. 16.00 lakhs or 02 (two) completed work value of Rs. 10.00 lakhs each. (Merely submission of the copies of work order / Lol may not be considered. (Mandatory)
- vii. Submission of **BID SUBMISSION FORM (Section-06)** duly filled and signed by the bidder. (Mandatory)
- viii. Submission of **UNDERTAKING (Section - 07 Annexure – I, II & III)** duly filled and signed by the bidder. (Mandatory)
- ix. Submission of Certificate of MSME/NSIC, if any.
- x. Submission of Trade License upto date.
- xi. Submission of **Solvency Certificate** from its Banker as on FY 2025-26 or as on current date **(Section – 07 Annexure – IV)**. (Mandatory)
- xii. Submission of last **03 (Three) FY Turnover Certificate as on 31/03/2026** or as on current date. (Mandatory)
- xiii. Submission of Bidder's Audited Balance Sheet/Financial Statement for the year ending on **31.03.2025/31.03.2026** (whichever is available). (Mandatory)
- xiv. Submission of Bidder IT Return Statement for the year ending on **31.03.2025/31.03.2026** (whichever is available). (Mandatory)

**(B) Financial Bid Part :** Financial Part will have the following activities

- (i) Submission of PRICE BID SCHEDULE **(Financial Bid)** in the excel sheet which is attached separately, to be quoted and signed digitally by the bidder. (Online submission only)

### 2.10.4 Offline Submission: (Offline Submission will have the following activities):

**(A) : Off line Submissions :**

Only the following shall be accepted in physical form/by post addressed to **the Director, NERIWALM, PO : Kaliabhomora, Tezpur, Assam (Pin-784027)**, and should reach before the due date and time of opening the tender. The sealed envelope shall bear the name of the work and Tender Notice & Description and the words” **DO NOT OPEN BEFORE (due date & time)**”.

- ☐ Tender Fee in the form of Demand Draft/Banker's Cheque (In original)
- ☐ EMD in the form of Demand Draft / Banker's Cheque / Pay Order / IFD(In original)
- ☐ Pass Phrase/any information for opening of bids **(if required)**.

### **SECTION – 3**

**Tender Notice No. :** (As mentioned in the first page above)

#### **3.0 GENERAL (COMMERCIAL) CONDITIONS OF THE CONTRACT**

##### **3.1 PRICE APPLICABILITY**

Prices in the Purchase Order/Work Order shall remain valid for the period of 120 (One hundred twenty) days from the date of signing of formal agreement/ till the completion of the work in all respect.

##### **3.2 PERFORMANCE SECURITY**

3.2.1 Within 10 days of the Supplier's/Contractor's receipt of Letter of Intent (LOI)/P.O/WO, the Supplier/Contractor shall furnish a Performance Security @ 6.5 % (Six point Five Percentage) or more of the quoted/awarded total amount of the work/works in the form of Demand Draft/Bank Guarantee/Insurance Surety Bond issued by a schedule Bank from its branch payable at Tezpur, Assam. Performance Security amount may vary depending upon the quoted amount. The DD/FD/BG/ISB shall be in favour of the Director, NERIWALM, Tezpur, Assam. Performance Security Money in the form of BG will have to be valid for the maintenance period plus three months. **(Please refer the Section – 5)**

3.2.2 Deleted

3.2.3 The proceeds of the Performance Security shall be payable to NERIWALM as compensation for any loss resulting from the Supplier's/Contractor's failure to complete its obligations under the contract.

3.2.4 The Performance Security will be discharged by NERIWALM after satisfactory completion of the supplier's/contractor's obligations including any warranty obligations under the contract/defects liability period/maintenance period which is 01 (one) year after the actual date of completion of the work in all respect and submission of an undertaking by the contractor regarding payment of all dues to the workers/labours.

3.2.5 As regards the validity of PBG, the validity of the Bank Guarantee shall be the Maintenance period/defect liability period plus three months.

##### **3.3 CHANGE ORDERS**

3.3.1 NERIWALM may at any time by written order given to the Supplier/Contractor make changes within the general scope of the contract in any one or more of the Services/Quantities to be provided / executed by the supplier/contractor.



3.3.2 If any such change causes an increase or decrease in the cost or the time required for the execution of the contract, an equitable adjustment shall be made in the quantities or delivery schedule or both and the contract shall accordingly be amended.

### **3.4 SUB-LETTING**

The Bidder cannot assign or transfer and sub-contract its interest/ obligations under the contract without prior written permission of the Purchaser.

### **3.5 LIQUIDATED DAMAGES**

3.5.1 The date of the delivery of the goods/services stipulated in the acceptance of tender should be deemed to be the essence of the contract and the delivery must be completed not later than the dates specified therein. Extension in delivery period will not be given except in exceptional circumstances. Should, however, deliveries be made after expiry of the contract delivery period and accepted by the consignee, such deliveries will not deprive the NERIWALM of the right to recover Liquidated Damages.

3.5.2 For any type of un-satisfactory work or delay, as liquidated damages, a sum equal to 1.5% per month of the Contract Value upto a maximum of 10% will be levied upon the Supplier/Contractor. The NERIWALM also reserves the right to cancel the order in such cases and forfeit the EMD/Performance Bank Guarantee and may also debar the Supplier/Contractor from participation in future.

3.5.3 Liquidity Damages can be recovered from any dues of the Supplier/Contractor.

### **3.6 ARBITRATION**

3.6.1 In the event of any dispute arising between NERIWALM and the Supplier/Contractor, in any matter covered by this contract or arising directly or indirectly therefrom or connected or concerned with the said contract in any manner of the implementation of any terms and conditions of the said contract, the matter shall be referred to the Director, NERIWALM who may himself act as sole arbitrator or may name as sole arbitrator an officer of NERIWALM notwithstanding the fact that such officer has been directly or indirectly associated with this contract and the provisions of the Indian Arbitration Conciliation Act, 1996 shall apply to such arbitration. The supplier expressly agrees that the arbitration proceedings shall be held Tezpur.

3.6.2 The proceedings of arbitration shall be in English language.

3.6.3 In case any supplier wants to take the dispute to a court of law after arbitration award as aforesaid, it is clearly understood that only courts in Tezpur and Guwahati shall have the Jurisdiction.

3.6.4 In case of Public Sector Undertaking/Government Departments

In the event of any dispute or difference relating to the interpretation and application of the provisions of the contracts with any Public Sector Undertaking / Government Department, such dispute or difference shall be referred by either party for Arbitration to the sole Arbitrator in the Department of Public Enterprises to be nominated by the Secretary to the Government of India in-charge of the

Department of Public Enterprises. The Arbitration and Conciliation Act, 1996 shall not be applicable to arbitration under this clause. The award of the Arbitrator shall be binding upon the parties to the dispute, provided, however, any party aggrieved by such award may make a further reference for setting aside or revision of the award to the Law Secretary, Department of Legal Affairs, Ministry of Law & Justice, Government of India. Upon such reference, the dispute shall be decided by the Law Secretary or the Special Secretary / Additional Secretary, when so authorized by the Law Secretary, whose decision shall bind the Parties finally and conclusively. The Parties to the dispute will share equally the cost of arbitration as intimated by the Arbitrator.

### **3.7 APPLICABLE LAWS**

This contract shall be interpreted, construed and governed by the laws of the Republic of India and the parties hereby submit to the exclusive jurisdiction of the Court at Tezpur and Guwahati having jurisdiction in appeal there from. Any dispute in relation to the contract shall be submitted to the appropriate Court of the Republic of India for determination. The parties to the contract shall continue to fulfill their respective obligations under the contract during the currency of the contract pending the final decision of the Court.

### **3.8 GENERAL LIEN**

Whenever under this contract any sum of money is recoverable from and payable by the Supplier/Contractor, the NERIWALM shall be entitled to recover such sum by appropriating in part or in whole the security deposit of the Supplier/Contractor, if a security is taken from the Supplier/Contractor. In the event of the Security being insufficient or if no security has been taken from the Supplier, the balance or the total sum recoverable, as may be, shall be deducted from any sum due to the Supplier or which at any time thereafter may become due to the Supplier under this or any other contract with the Company. Should this sum be not sufficient to cover the full amount recoverable, the Supplier shall pay to the Company on demand the remaining balance due.

### **3.9 FORCE MAJEURE**

If any time, during the continuance of this contract, the performance in whole or in part by either party under obligation as per this contract is prevented or delayed by reasons of any war or hostility, act of the public enemy, civil commotion, sabotage, fire, flood, explosion, epidemic, quarantine restrictions, strike, lockout or acts of God (hereinafter referred to "eventuality"), provided notice of happening of any such eventuality is given by either party to the other within 21 days of the date of occurrence thereof, neither party shall be reason of such an "eventuality" be entitled to terminate this contract nor shall either party have any claim or damages against the other in respect of such non-performance or delay in performance and deliveries under the contract. The contract shall be resumed as soon as practicable after such "eventuality" has come to an end or ceased to exist. In case of any dispute, the decision of Director, NERIWALM, shall be final and conclusive, provided further that if the performance in whole or part of any obligation under this contract is prevented or delayed by reason of any such eventuality for a period exceeding 60 days, either party may at its option, terminate the contract. Provided also that if the contract is terminated under this clause the NERIWALM shall be at liberty to take over from the Supplier at a price to be fixed by the NERIWALM, which shall be final, all unused, undamaged and acceptable materials, bought out components and other stores in the course of manufacture which may be in the possession of the Supplier at the time of such termination, or

such portion thereof as the NERIWALM may deem fit except such material, as the Supplier may, with the concurrence of the NERIWALM, elect to retain.

### **3.10 TERMINATION FOR DEFAULT**

3.10.1 The NERIWALM, may, without prejudice to any other remedy for breach of contract, by written notice of default, sent to the Supplier/Contractor, terminate this contract in whole or in part.

- a) if the supplier/contractor fails to deliver/execute any or all the goods/works within the time period (s) specified in the contract, or any extension thereof granted by the NERIWALM.
- b) if the Supplier/Contractor fails to perform any other obligation(s) under the contract; and
- c) if the Supplier/Contractor, in either of the above circumstances, does not remedy his failure within a period of 15 days (or such longer period as the NERIWALM may authorize in writing) after receipt of the default notice from the Purchaser) on a notice period of 30 days.

### **3.11 TERMINATION FOR INSOLVENCY**

The NERIWALM may at any time terminate the Contract by giving written notice to the Supplier/Contractor, without compensation to the supplier/contractor if the supplier becomes bankrupt or otherwise insolvent as declared by the competent court provided that such termination will not prejudice or effect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

### **3.12 ADD ON ORDER**

NERIWALM reserves the right to place "Add on order" for additional quantity of the original quantity at the same rate and terms & conditions of the purchase/contract order within the contract period on the interest of the completion of the work in all respect. The Bill shall be paid as per actual execution and measurement.

## **SECTION – 4**

**Tender Notice No. :** (As mentioned in the first page above)

### **SPECIAL CONDITIONS OF CONTRACT**

**4.1 SITUATION OF THE WORK/WORKS IS AT NERWALM CAMPUS AT DOLABARI, TEZPUR, ASSAM (Pin-784027).**

### **4.2 PAYMENT TERMS**

- (i) Payment will be made after satisfactory completion and submission of the tax invoice along with pictorial evidence at every stage of the work.
- (ii) Provision for Running Payment may be considered based on the performance of the supplier/contractor. There will be no provision of payment of Running Bill after the completion date.
- (iii) A breakdown of different price elements as per GST act has to be indicated separately along with the associated HSN Code and GST rate.
- (iv) Payment will be made after deducting all statutory dues.
- (v) The payment will be released on submission and acceptance of EPF/ESIC papers and other relevant documents as may be required from audit/accounts point of view.

### **4.3 PAYING AUTHORITY**

The Director, NERIWALM, Tezpur.

### **4.4 INSPECTION AUTHORITY**

Officer deputed by Director, NERIWALM.

### **4.5 PRE-BID INSPECTION / SURVEY**

4.5.2 The complete items of works as estimated will be reflected in **Section-8 (Financial)**

### **4.6 SCOPE OF WORK:**

4.6.1 The scope of work shall cover complete execution up to handing over to NERIWALM within the stipulated time frame.

### **4.7 DEPLOYMENT OF STAFF**

4.7.1 The Contractor shall engage labours/workers not below the age of 18 years.

### **4.8 TOOLS & PLANTS**

All the general tools required for the work/works should be provided by the contractor at the contractor's risk and cost.

### **4.9 PERSONAL ACCIDENT INSURANCE:**

The entire contractor's employee/labours will have to be covered under insurance against any personal accident and NERIWALM will not be liable for payment of any compensation on that account. During the execution of work, the contractor shall follow all standard norms of safety measures / precautions to avoid the accident / damages to man, machineries and building. On non-adherence of this clause, suitable fines shall be imposed as decided by engineer in charge, NERIWALM.

## **SECTION – 5**

**Tender Notice No:** (As mentioned in the first page above)

### **BASIC TERMS & CONDITIONS :**

1. The Bidder should not have been barred/ black listed by any PSU/Govt. Department in doing business with them. An undertaking in this respect is to be submitted to NERIWALM.
2. The contractor will have to sign the formal agreement on Non-Judicial Stamp paper of appropriate value for the work. The cost of the Non-Judicial Stamp paper will be the liability of the contractor. The entire Tender Document also shall be a part of the **Agreement**.
3. (A) Submission of one set of signed copies up-to-date Contractor's Registration Certificate, Labour License, Registration with EPF, ESIC, PAN Card, GST and Registration/Certificate with MSME/NSIC (if any) are to be produced at the time of signing the agreement, and will be a part of the Agreement .  
(B) The work shall be registered with Labour Department and BOCW (Board of Construction Workers) before commencement of the work at his own risk and responsibility of the contractor. The registration certificate Labour Department and BOCW shall be submitted to NERIWALM before commencement of the work.
4. The selected bidder should have to deposit **Performance Security** for an amount mentioned in the Letter of Intent/Work Order in the form of A/C Payee DD/FDR/BG/ISB in favour of the Director, NERIWALM, Tezpur payable at Tezpur, Assam. The earnest money deposited by the successful bidder with tender document will be released only after deposit of the Performance Security and signing & acceptance the formal agreement. The Performance Security will be released after satisfactory completion of the maintenance period/defect liability period including any warranty obligations and submission of documents as sought by the Institute (NERIWALM). And any documents sought from audit point of view.  
As regards validity of PBG, the validity of the Bank Guarantee shall be the Maintenance period/defect liability period plus three months. No interest will be applicable from the side of NERIWALM for the Performance Security money.
5. No request for change of rates will be entertained after opening the tender.
6. The work should be completed within the stipulated time. No extension will be considered except a valid and tenable reason is given and accepted by the Competent Authority.
7. The contractor should provide necessary risk to the labours from any type of accident that may arise at the work site or within the campus. Necessary Labour Rules will be applicable on the contractor. Necessary scaffolding works, safety measures, etc. shall be taken up by the contractor as necessary in respect of the work for the safety and security of the manpower.
8. The work activities under the contract will be executed at all the levels upto 5<sup>th</sup> Floor Level. No extra payment will be made for scaffolding, lifting and dropping of materials, arranging tools,

taking safety measures, etc. Before quoting the rates it is suggested that the Bidder/Contractor should visit the site and take first-hand information of the works to be executed.

9. The materials to be used by the contractor for the work should be got approved from the authority before using the same. The materials will be as per the make list of CPWD and CPWD norms.
10. **Defects Liability/Maintenance period including warranty obligations:**
  - (a) The Defect Liability/Maintenance period is 01(one) year from the date of final handing over the work in all respect to NERIWALM. The Defect Liability period/maintenance period shall automatically extend for as long as the defects remain to be rectified.
  - (b) Any authorized official shall check the work and notify the contractor of any defects, poor workmanship, quality of materials or testing during construction or Defect Liability period. The contractor shall correct the notified defect/defects with immediate effect.
  - (c) The contractor shall do the routine maintenance of the work during the Defects Liability period.
11. Any item of work executed as extra item which is beyond the schedule order, the rate will be fixed as per DSR-23 or analysed rates for Non-DSR items with prior approval of Director.
12. Any other clause not covered under GCC, SCC and above, the contractor will be liable to abide by the directions/instruction of the Director, NERIWALM in the interest of the work.

**(Signature of the bidder with seal) :** .....

**Name of the Signatory (In Block Letters) :**.....

**Name of the party:** .....

**Address :**.....

**Seal :**

**SECTION – 6**

**(BID SUBMISSION FORM)**  
**(To be filled up by the bidder)**  
**(BIDDER LETTER HEAD)**

To

The Director,  
 North Eastern Regional Institute of Water and Land Management (NERIWALM)  
 Dolabari, P.O.: Kaliabhomora  
 Tezpur – 784027 (Assam)

Dear Sir,

In response to your Tender Notice (mentioned below) for the Work (mentioned below), We hereby submit our **PARTICULARS/OFFER** for consideration:

|          |                                             |                                                                                                                                                                                                                                                                                                                            |
|----------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>A</b> | <b>Tender Notice No. &amp; Date</b>         | <b>Ad-28/2/2026-Administration-NERIWALM</b><br><b>Date : .....</b>                                                                                                                                                                                                                                                         |
| <b>B</b> | <b>CPPP Tender ID No. &amp; Date</b>        |                                                                                                                                                                                                                                                                                                                            |
| <b>C</b> | <b>Name of the Work:</b>                    | PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM.. |
| 1        | Bidder's Name :                             |                                                                                                                                                                                                                                                                                                                            |
| 2        | Web site Address:                           |                                                                                                                                                                                                                                                                                                                            |
| 3        | E-Mail Address:                             |                                                                                                                                                                                                                                                                                                                            |
| 4        | Actual Address of the Bidder as per record: |                                                                                                                                                                                                                                                                                                                            |
| 5        | Postal Address:                             |                                                                                                                                                                                                                                                                                                                            |
| 6        | Contact No:                                 |                                                                                                                                                                                                                                                                                                                            |
| 7        | Authorized Person's - Name                  |                                                                                                                                                                                                                                                                                                                            |
|          | Designation :                               |                                                                                                                                                                                                                                                                                                                            |
|          | Contact No:                                 |                                                                                                                                                                                                                                                                                                                            |

|    |                                                                                             |  |
|----|---------------------------------------------------------------------------------------------|--|
| 8  | PAN No :                                                                                    |  |
| 9  | GST Reg No:                                                                                 |  |
|    | Name of the party as per record in document                                                 |  |
| 10 | Labour Licence No:                                                                          |  |
|    | Name of the party as reflected in the document                                              |  |
|    | Name of Issuing authority :                                                                 |  |
|    | Validity up to :                                                                            |  |
|    | Nos of Labours :                                                                            |  |
| 11 | Particular of EMD (Copy to be submitted with Technical Bid) <b>(Mandatory)</b>              |  |
|    | Amount (Rs.)                                                                                |  |
|    | DD/BC/PO/IFD No & Date:                                                                     |  |
|    | Bank :                                                                                      |  |
| 12 | Particular of Tender Fee (Copy to be submitted with Technical Bid also ) <b>(Mandatory)</b> |  |
|    | Amount (Rs.)                                                                                |  |
|    | DD/BC/PO No. & Date:                                                                        |  |
|    | Bank :                                                                                      |  |
| 13 | Details of Bank Accounts for release of EMD/Performance Security / Bill payment etc.        |  |
|    | Bank A/C No.                                                                                |  |
|    | Name of the Bank                                                                            |  |
|    | Name of the Branch                                                                          |  |
|    | IFC Code.                                                                                   |  |
|    | Name of the Bank Account Holder (As per record in the Bank Account)                         |  |
| 14 | Average Annual Financial Turnover during the last 3 years, ending 31st March 2026           |  |



|    |                                                                                                                     |                                       |                                                          |                 |
|----|---------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------------------------------------|-----------------|
|    | <b>Period<br/>(As below)</b>                                                                                        | <b>Financial Turn Over (As below)</b> |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
| 15 | Experience in similar nature of works during last 3 (Three) FY                                                      |                                       |                                                          |                 |
|    | Duration of Experience                                                                                              | Description of the experience         | Deptt/Company/PSU/Organization                           | Work value (Rs) |
|    |                                                                                                                     |                                       |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
| 16 | Particulars of Registration of Contractor/ Firm/Company                                                             |                                       |                                                          |                 |
|    | Name :                                                                                                              |                                       |                                                          |                 |
|    | Class /Category of Registration                                                                                     | Issuing Authority                     | Nature & type of works/business authorized for execution | Valid upto :    |
|    |                                                                                                                     |                                       |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
| 17 | Particulars of MSME/NSIC Registration (If Any)                                                                      |                                       |                                                          |                 |
|    | Class /Category of Registration                                                                                     | Issuing Authority                     | Nature of works authorized for execution                 | Valid upto:     |
|    |                                                                                                                     |                                       |                                                          |                 |
|    |                                                                                                                     |                                       |                                                          |                 |
| 18 | The following documents are duly entertained, signed and submitted with this Bid Submission Form (As Technical Bid) |                                       |                                                          |                 |

| Sl. No. | Particulars                                                                                                                                                                                                                                                                                                                                                                       | Submitted/Not submitted |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| (A)     | <b>OFFLINE SUBMISSION (As under) :</b>                                                                                                                                                                                                                                                                                                                                            |                         |
| i       | Tender Fee in original is submitted <b>OFFLINE</b> as per Section-I and Tender Notice                                                                                                                                                                                                                                                                                             |                         |
| ii      | EMD in original is submitted <b>OFFLINE</b> as per Section-I and Tender Notice                                                                                                                                                                                                                                                                                                    |                         |
| (B)     | <b>ONLINE SUBMISSION WITH TECHNICAL BIDS AS PER SECTION : 2 OF THE TENDER DOCUMENT</b> (All the documents shall be valid and the validity shall continue till the completion of the work)                                                                                                                                                                                         |                         |
| i       | Undertaking of Acceptance of Terms & Conditions (As per Annexure-I of Section-7)                                                                                                                                                                                                                                                                                                  |                         |
| ii      | Undertaking that the bidder is not black listed (As per Annexure- II of Section-7)                                                                                                                                                                                                                                                                                                |                         |
| iii     | Undertaking that the bidder / bidder's representative visited the site for gathering first-hand information (As per Annexure- III of Section-7)                                                                                                                                                                                                                                   |                         |
| iv      | Particulars of EMD and Tender fee ( <b>Scan Copy</b> )                                                                                                                                                                                                                                                                                                                            |                         |
| v       | Valid Registration Certificate of the Contractor/Firm/Individual with Govt Dept/Organization                                                                                                                                                                                                                                                                                      |                         |
| vi      | Registration certificate of GST & PAN                                                                                                                                                                                                                                                                                                                                             |                         |
|         | Registration certificate with ESIC &EPF                                                                                                                                                                                                                                                                                                                                           |                         |
| vii     | Valid Labour Licence                                                                                                                                                                                                                                                                                                                                                              |                         |
| viii    | Submission of Work Completion Certificate/Performance certificate for similar type & nature of works in Govt Dept/Organization/PSU last 3 (three) FY (2023-24, 2024-25, 2025-26) of single completed work value of at least Rs. 16.00 lakhs or 02 (two) completed work value of Rs. 10.00 lakhs each. (Merely submission of the copies of work order / LoI may not be considered) |                         |
| ix      | Bid-Submission Form duly filled and signed ( <b>Section-6</b> )                                                                                                                                                                                                                                                                                                                   |                         |
| x       | <b>Solvency Certificate</b> from its Banker as on FY 2025-26 or as on current date ( <b>Section – 07 Annexure – IV</b> ).                                                                                                                                                                                                                                                         |                         |
| xi      | Last 03 (Three) FY Turnover Certificate as on 31.03.2026 or as on current date                                                                                                                                                                                                                                                                                                    |                         |
| xii     | Audited Balance Sheet/Financial Statement for the year ending on 31.03.2024/31.03.2025.                                                                                                                                                                                                                                                                                           |                         |
| xiii    | Income Tax Return Statement of the bidder for the year ending on 31.03.2025 / 31.03.2026.                                                                                                                                                                                                                                                                                         |                         |

|     |                           |  |
|-----|---------------------------|--|
| xiv | MSME Certificate , if any |  |
| xv  | Trade Licence, if any     |  |

### DECLARATION

1) We have read and understood the terms & conditions of the above mentioned tender and comply with all Terms & Conditions of your Tender.

(In case of any deviation the Bidder must attach a separate sheet clearly mentioning the Clause No. of the Tender and Deviation thereto)

2) We certify that the information mentioned above are true and correct to best of our knowledge.

3) In case of receipt of order we confirm that payment shall be received through e-Banking / Electronics Transfer.

4) This offer contains \_\_\_\_\_ No. of pages including all Annexures and Enclosures.

**Signature of the bidder with seal .....**

**Name of the Signatory (In Block Letters) : .....**

**Name of the party: .....**

**Address .....**

**SECTION- 07****(Annexure-I)****UNDERTAKING****(BIDDER LETTER HEAD)**

**Tender Notice No. :** (As mentioned in the first page above)

To,  
The Director,  
NERIWALM,  
Dolabari, Tezpur, Assam (PIN-784027)

**Name of the work :** PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM..

Sir,

I/We do hereby declare that I/We have read all the contents of the Tender Document to the best of my/our knowledge. I/We shall strictly follow all the Terms & Conditions of the Tender Documents in adherence to the applicable laws, rules, norms, etc

**(Signature of the bidder with seal) :** .....

**Name of the Signatory (In Block Letters) :** .....

**Name of the party:** .....

**Address :** .....

**Seal :**

**SECTION- 07****(Annexure-II)****UNDERTAKING****(BIDDER LETTER HEAD)**

**Tender Notice No. :** (As mentioned in the first page above)

To,  
The Director,  
NERIWALM,  
Dolabari, Tezpur, Assam (PIN-784027)

**Name of the work :** PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM..

Sir,

I/We do hereby declare that I/We have not been barred/black listed by any PSU/Government Department in doing business with them. I/We have submitted the information/document to the best of my/your knowledge.

**(Signature of the bidder with seal) :** .....

**Name of the Signatory (In Block Letters) :** .....

**Name of the party:** .....

**Address :** .....

**Seal :**

**SECTION- 07****(Annexure-III)****UNDERTAKING FOR SITE VISIT****(BIDDER LETTER HEAD)**

**Tender Notice No:** (As mentioned in the first page above)

To,  
The Director,  
NERIWALM,  
Dolabari, Tezpur, Assam (PIN-784027)

**Name of the work :** PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM..

Sir,

I/We do hereby declare that I/We or my representatives have visited the site and got first-hand information of the work to be carried out in ground with regards to the above captioned work.

**(Signature of the bidder with seal) :** .....

**Name of the Signatory (In Block Letters) :** .....

**Name of the party:** .....

**Address :** .....

**Seal :**

**SECTION- 07****(Annexure-IV)****BANKER SOLVENCY CERTIFICATE FORMAT**

This is to certify that M/s \_\_\_\_\_  
having their Registered office at \_\_\_\_\_  
is solvent to the extent of Rs. \_\_\_\_\_ (Amount in words  
\_\_\_\_\_ ) as disclosed by the information and record  
which are available with the bank.

This certificate is issued at the request of M/s \_\_\_\_\_  
for a Tender Purpose.

This certificate is issued without any risk/liability or responsibility whatsoever on the part of the  
Bank or any of its officers.

Signature For Bank \_\_\_\_\_

Name of the Signatory:

**SECTION-08****PRICE BID SCHEDULE (Technical)****(NOT FOR QUOTING RATES)**

**NAME OF THE WORK :** PROVIDING EUROPEAN WC TO THE TOILET BLOCK, PAINTING THE ROOFS INCLUDING SOME MINOR REPAIRING WORKS OF TYPE-II (BLOCK-II) RESIDENTIAL BUILDING AND PERIODICAL CLEANING OF THE WATER RESERVOIRS, UG & AERATION WATER TANKS, CLEANING OF JUNGLES AND VEGETATION SURROUNDING THE RESIDENTIAL QTRS OF NERIWALM, TEZPUR, ASSAM.

| <b><u>MEASUREMENT &amp; BILL OF QUANTITIES</u></b> |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |             |            |                                                                                |                                                                                            |                                      |
|----------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------|
| <b>Total numbers of items : 62 (Sixty-Two)</b>     |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |             |            |                                                                                |                                                                                            |                                      |
| <b>Sl. No.</b>                                     | <b>SOR</b> | <b>Description of the items</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Unit</b> | <b>Qty</b> | <b>RATE<br/>(including<br/>GST, all<br/>other<br/>charges, etc)<br/>in Rs.</b> | <b>TOTAL<br/>AMOUNT<br/>(including<br/>GST, all<br/>other<br/>charges, etc)<br/>in Rs.</b> | <b>TOTAL<br/>AMOUNT<br/>in words</b> |
| 1                                                  | 15.23.1    | Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.(i) for thickness from 10 mm to 25 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | sqm         | 22.50      | (Not to be quoted here)                                                        | (Not to be quoted here)                                                                    | (Not to be quoted here)              |
| 2                                                  | 11,41A.3.1 | Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. (I) Glazed Vitrified tiles Matt/Antiskid finish of (a) Size of Tile 600 x 600 mm | sqm         | 22.50      | - do -                                                                         | - do -                                                                                     | - do -                               |



|   |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |       |        |        |        |
|---|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|--------|--------|--------|
| 3 | 11.47.1 | Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/sqm including grouting the joint with white cement & matching pigments etc. complete.<br>(i) Size of Tile 500x500 mm   | sqm  | 30.30 | - do - | - do - | - do - |
| 4 | 16.64   | Providing and laying 75 mm thick compacted bed of dry brick aggregate of 40 mm thick nominal size including spreading, well ramming, consolidating and grouting with sand, including finishing smooth etc. complete as per direction of Engineer-in- charge                                                                                                                                                                                                                            | sqm  | 5.25  | - do - | - do - | - do - |
| 5 | 4.1.5   | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work upto plinth level in 1:3:6 grade of concrete 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)                                                                                                                                                          | cum  | 12.00 | - do - | - do - | - do - |
| 6 | 17.81   | Providing and fixing floor mounted, white vitreous china single piece, double traps syphonic water closet of approved brand/make, shape, size and pattern including integrated white vitreous china cistern of capacity 10 litre with dual flushing system, including all fittings and fixtures with seat cover, cistern fittings, nuts, bolts and gasket etc including making connection with the existing P/S trap, complete in all respect as per directions of Engineer-in-Charge. | Each | 12.00 | - do - | - do - | - do - |
| 7 | 17.7.3  | Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: (i) White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps                                                                                                                                                         | Each | 3.00  | - do - | - do - | - do - |
| 8 | 17.32.3 | Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing : (i) Oval shape 450x350 mm (outer dimensions)                                                                                                                                                                                                                                             | Each | 2.00  | - do - | - do - | - do - |

|    |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |       |        |        |        |
|----|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|--------|--------|--------|
| 9  | 17.73.2       | Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.<br>(i) 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.                                                                                                                                              | Each  | 12.00 | - do - | - do - | - do - |
| 10 | 17.33         | Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.                                                                                                                                                                                                                                      | Each  | 3.00  | - do - | - do - | - do - |
| 11 | 12.41.2       | Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion,<br>(i) Single socketed pipes.<br>(2) 110 mm diameter                                                                                                                                                                                           | metre | 8.00  | - do - | - do - | - do - |
| 12 | 12.43.2       | Providing and fixing on wall face unplasticated PVC pipe Clips approved design to unplasticated-PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S screws of required length, including cutting brick work and fixing the cement mortar 1:4(1 cement : 4 coarse sand) and making good the wall etc. complete.<br>(i) 110 mm                                                                                                        | Each  | 8.00  | - do - | - do - | - do - |
| 13 | 19.21.1       | Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete (1) For pipes 100 to 250 mm diameter | Each  | 4.00  | - do - | - do - | - do - |
| 14 | 12.42.1.<br>2 | Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.<br>Coupler (110 mm)                                                                                                                                                                      | Each  | 16.00 | - do - | - do - | - do - |

|    |               |                                                                                                                                                                                                                                                                                                                                                 |       |       |        |        |        |
|----|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|--------|--------|--------|
| 15 | 12.42.4.<br>2 | Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.<br>Coupler (100 mm).(4) Single Tee without door (110 mm x 110 mm x110 mm) | Each  | 8.00  | - do - | - do - | - do - |
| 16 | 12.42.5.<br>2 | Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.<br>Bend 87.5 degree (110 mm)                                              | Each  | 12.00 | - do - | - do - | - do - |
| 17 | 12.42.6.<br>2 | Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.(1) Coupler (100 mm).<br>Shoe plain (110 mm dia)                           | Each  | 24.00 | - do - | - do - | - do - |
| 18 | 12.42.3.<br>2 | Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.(1) Coupler (100 mm).<br>Single Tee with door (110 mm x 110 mm x110 mm)    | Each  | 16.00 | - do - | - do - | - do - |
| 19 | 17.35.1.<br>1 | Providing and fixing soil, waste and vent pipes (1) 100 mm dia (1) Sand cast iron S&S pipe as per IS: 1729                                                                                                                                                                                                                                      | metre | 96.00 | - do - | - do - | - do - |
| 20 | 17.41.1.<br>1 | Providing and fixing double equal junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete : (1) 100x100x100x100 mm (1) Sand cast iron S&S as per IS - 1729                                                                                                                                    | Each  | 16.00 | - do - | - do - | - do - |

|    |               |                                                                                                                                                                                                                                                                                                                                                 |      |       |        |        |        |
|----|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|--------|--------|--------|
| 21 | 17.37.1       | Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : (a) 100 mm dia pipe | Each | 24.00 | - do - | - do - | - do - |
| 22 | 17.22B        | Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge.<br>(a) 15 mm nominal dia                                                                                                                                                                                                  | Each | 4.00  | - do - | - do - | - do - |
| 23 | 17.38.1.<br>1 | Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.<br>(a) 100 mm dia pipe<br>(i) Sand cast iron S&S as per IS:1729                                                                                                                                                     | Each | 16.00 | - do - | - do - | - do - |
| 24 | 17.39.1.<br>1 | Providing and fixing plain bend of required degree.<br>(a) 100 mm dia pipe<br>(i) Sand cast iron S&S as per IS:1729                                                                                                                                                                                                                             | Each | 8.00  | - do - | - do - | - do - |
| 25 | 17.43.1.<br>1 | Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. (i) 100x100x100 mm (ii) Sand cast iron S&S as per IS - 1729                                                                                                                                  | Each | 12.00 | - do - | - do - | - do - |
| 26 | 17.58.1       | Providing lead joints caulked joints to sand cast iron pipes and fittings to dia :<br>(i) 100 mm                                                                                                                                                                                                                                                | Each | 20.00 | - do - | - do - | - do - |
| 27 | 18.21.1.<br>1 | Providing and fixing uplasticised PVC connection pipe with brass unions :<br>(a) 30 cm length<br>(i) 15 mm nominal bore                                                                                                                                                                                                                         | Each | 24.00 | - do - | - do - | - do - |
| 28 | 18.51.1       | Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.<br>(i) 15 mm nominal bore                                                                                                                                                                                 | Each | 24.00 | - do - | - do - | - do - |
| 29 | 18.53.1       | Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931<br>(i) 15mm nominal bore                                                                                                                                                                                                | Each | 12.00 | - do - | - do - | - do - |

|    |           |                                                                                                                                                                                                                                                                                                                                                                                        |      |       |        |        |        |
|----|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|--------|--------|--------|
| 30 | 18.58.1   | Providing and fixing PTMT grating of approved quality and colour. Circular type<br>(i) 100 mm nominal dia                                                                                                                                                                                                                                                                              | Each | 24.00 | - do - | - do - | - do - |
| 31 | 17.28.1.1 | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. (i) Semi rigid pipe (a) 32 mm dia                                                                                                                                                                                                                                              | Each | 12.00 | - do - | - do - | - do - |
| 32 | 14.1.1    | Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.<br>With cement mortar 1:4 (1 cement : 4 fine sand) | sqm  | 24.00 | - do - | - do - | - do - |
| 33 | 18.11.2   | Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall : (ii) 20 mm dia nominal bore                                                                                                                                  | m    | 12.00 | - do - | - do - | - do - |
| 34 | 18.10.3   | Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Internal work - Exposed on wall (i) 25 mm dia                                                                                                                                                                                                                 | m    | 9.00  | - do - | - do - | - do - |
| 35 | 18.17.1   | Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :<br>(i) 25 mm nominal bore                                                                                                                                                                                                                                                                | Each | 4.00  | - do - | - do - | - do - |

|    |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |      |       |        |        |        |
|----|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|--------|--------|--------|
| 36 | 19.30.2.1 | Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 fine sand : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design: (i) Inside dimensions 500x700 mm and 45 cm deep for pipe line with one or two inlets : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5                                                                                                                                                                                                                                                                                          | Each | 4.00  | - do - | - do - | - do - |
| 37 | 21.1.2.1  | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : (2) For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately). (ii) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) | kg   | 36.00 | - do - | - do - | - do - |

|    |         |                                                                                                                                                                                                                                                                                                                                                                              |     |        |        |        |        |
|----|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|--------|--------|--------|
| 38 | 21.3.1  | Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge .<br>(Cost of aluminium snap beading shall be paid in basic item):(I) With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm) | sqm | 4.80   | - do - | - do - | - do - |
| 39 | 12.51.4 | Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :<br><b>Barge board (Upto 300 mm)</b>   | m   | 17.50  | - do - | - do - | - do - |
| 40 | 13.50.3 | Applying priming coat With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanised iron/steel works                                                                                                                                                                                                                                 | sqm | 478.99 | - do - | - do - | - do - |
| 41 | 13.92.1 | Painting on G.S. sheet with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade on old work (One or more coats):                                                                                                                                                                                                               | sqm | 478.99 | - do - | - do - | - do - |
| 42 | 13.83.2 | Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats (Two coats) wherever required to achieve even shade and colour.                                                                                        | sqm | 770.40 | - do - | - do - | - do - |
| 43 | 6.4.1   | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :<br><b>Cement mortar 1:4 (1 cement : 4 coarse sand)</b>                                                                                                                                          | cum | 1.45   | - do - | - do - | - do - |
| 44 | 13.7.2  | 12 mm cement plaster finished with a floating coat of neat cement of mix :<br><b>1:4 (1 cement: 4 fine sand)</b>                                                                                                                                                                                                                                                             | sqm | 43.38  | - do - | - do - | - do - |

|    |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |     |        |        |        |        |
|----|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|--------|--------|--------|
| 45 | 15.28.1 | Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:<br><b>G.S. Sheet</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                            | sqm | 144.10 | - do - | - do - | - do - |
| 46 | 12.1.3  | Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. (i) 0.63 mm thick with zinc coating not less than 275 gm/m <sup>2</sup> | sqm | 131.00 | - do - | - do - | - do - |
| 47 | 12.4.2  | Providing ridges or hips of width 60 cm overall width plain G.S. sheet fixed with polymer coated J or L hooks, bolts and nuts 8 mm dia G.I. limpet and bitumen washers complete. (i) .0.63 mm thick with zinc coating not less than 275 gm/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                 | m   | 76.00  | - do - | - do - | - do - |
| 48 | 14.20   | Fixing of old wind tie with new fittings including painting two or more coats with anticorrosive bitumastic paint of approved brand & manufacturer over and including priming coat of ready mixed zinc chromate yellow primer of approved brand.                                                                                                                                                                                                                                                                                                                                                          | m   | 36.00  | - do - | - do - | - do - |
| 49 | 9.3.2   | Providing wood work in frames of false ceiling, partitions etc. Sawn and fixed in position with necessary stainless steel screws etc, (i) Kiln seasoned and chemically treated hollok wood                                                                                                                                                                                                                                                                                                                                                                                                                | cum | 0.51   | - do - | - do - | - do - |
| 50 | 12.26.2 | Providing and fixing plain multipurpose cement board (Hight pressure steam cured) with suitable screws for cement particle board in ceiling etc. complete (frame work to be paid seperately). (I) 6 mm thick Cement bonded wood particle board as per IS:14276.                                                                                                                                                                                                                                                                                                                                           | sqm | 115.20 | - do - | - do - | - do - |
| 51 | 10.29.1 | Providing & fixing fly proof wire gauze to windows, clerestory windows & doors with M.S. Flat 15x3 mm and nuts & bolts complete. (I) Galvanised M.S. Wire gauze with 0.63 mm dia wire and 1.4 mm aperture on both sides                                                                                                                                                                                                                                                                                                                                                                                   | sqm | 17.28  | - do - | - do - | - do - |



|    |              |                                                                                                                                                                                                                                                                                                                                                                                                                  |       |        |        |        |        |
|----|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|--------|--------|--------|
| 52 | 22.14.1      | Grading roof for water proofing treatment with Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)                                                                                                                                                                                                                                                                     | cum   | 1.48   | - do - | - do - | - do - |
| 53 | 13.81.1      | Distempering with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats                                                                                                                                                 | sqm   | 241.08 | - do - | - do - | - do - |
| 54 | 13.62.1      | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : (i) Two or more coats on new work over an under coat of suitable shade                                                                                                                                                                                                                         | sqm   | 88.44  | - do - | - do - | - do - |
| 55 | 13.55.1      | Painting (two or more coats) on rain water, soil waste and vent pipes and fittings with black anticorrosive bitumastic paint of approved brand and manufacture, over and including a priming of ready mixed zinc chromate yellow primer on new work : (i) 100 mm diameter pipes                                                                                                                                  | metre | 108.00 | - do - | - do - | - do - |
| 56 | 13.48A.<br>1 | Finishing walls with ready mixed Premium acrylic emulsion paint (Company Depot Tinted) having VOC less than 50 gm/litre and UV resistance as per IS 15489:2004, Alkali & fungal resistance, dirt resistance exterior paint of required shade with silicon additives.(i) New work (Two or more coats applied @ 1.43 litre/ 10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm. | sqm   | 654.00 | - do - | - do - | - do - |

|    |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |        |        |        |        |
|----|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|--------|--------|--------|
| 57 | 19.30.1.<br>1 | Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 fine sand : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design: (i) Inside dimensions 455x610 mm and 45 cm deep for single pipe line. (a) With common burnt clay F.P.S. (non modular) bricks of class designation 7.5                                                                                                                                                                                                                   | Each  | 2.00   | - do - | - do - | - do - |
| 58 | 24.2          | Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube chalis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-incharge. Note : (1) The elevational area of the scaffolding shall be measured for payment purpose. (2) The payment will be made once only for execution of all items for such works. | sqm   | 247.50 | - do - | - do - | - do - |
| 59 | 5.29.3.2      | Providing and fixing sheet covering over expansion joints with iron screws as per design. (3) Cement bonded wood particle board 6mm thick as per IS : 14276. (2) 200 mm wide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | metre | 80.00  | - do - | - do - | - do - |

|                             |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |          |                                |        |        |
|-----------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|--------------------------------|--------|--------|
| 60                          | 14.75A | Cleaning of terrace/loft water storage tank (inside surface area) upto 2000 litre capacity at all heights with coconut brushes, duster etc., removal of silt, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre) (if during cleaning any GI fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account) | Litres | 93000.00 | - do -                         | - do - | - do - |
| 61                          | 14.78  | Cleaning of underground sump, Over Head R.C.C. Tank (independent staging) including disposal of slit and rubbish, all as per direction of Engineer-in-Charge. The cleaning shall consist following operations:-(i) Tank shall be emptied of water by pumping & bottom shall be cleaned of silt and other deposits.(ii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed with water.(iii) Chlorination of RCC internal surface by liquid chlorine.(iv) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface.(v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineer-in-Charge.                                                                                                                   | sqm    | 284.82   | - do -                         | - do - | - do - |
| 62                          | 2.31   | Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | sqm    | 2850.00  | - do -                         | - do - | - do - |
| <b>TOTAL in Figures</b>     |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |          | <b>(Not to be quoted here)</b> |        |        |
| <b>Quoted RATE in Words</b> |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |          | <b>(Not to be quoted here)</b> |        |        |

**Signature :** .....

**Name of the signatory (In block letter) :**.....

**Name of the bidder:**.....

**Address:**.....

**Mobile No. :** .....**Date**.....

**NOTE:**

- I. Rates with Amount shall be quoted in **PRICE BID SCHEDULE (FINANCIAL BID)** attached separately in Excel Sheet. **(Online Event Only)**
- II. The above items or work will be executed as per the site condition or as directed by NERIWALM.
- III. All the communications shall be made addressed to the Director, NERIWALM, Dolabari, PO: Kaliabhomora, Tezpur, Assam (PIN - 784027).
- IV. Bidders are advised to visit NERIWALM's Website: <https://neriwalm.gov.in> regularly for

**(END of Section-01 to Section-08)**